

# Carrier 30 RQS 120

## Specifications

Marka	Carrier
Typ	30 RQS 120
Typ produktu	Air Cooled Chiller
Ogólna wydajność w kW	113
Ogólna wydajność w	32,1
Tonaż	
Czynnik chłodzący	Freon
Typ czynnika chłodzącego	R410A
Liquid buffer tank	✓
Waga kg.	943
Rozmiary	2270x2100x1330 mm (LxWxH)
Compressor(s) type & model	3x Copeland ZP182KQE-TFD-604
Display	Carrier Pro-Dialog+
Number of fans	2
Fan specifications	50 Hz - 0,53/0,18 kW - 720/500 RPM
Uwagi	Y.o.b. 2013
Stock	1



## Description

### Used Carrier 30 RQS 120

Used Carrier 30 RQS 120 air-cooled chiller on Freon R410A. Complete with 3 Copeland ZP182KQE-TFD-604 scroll compressors, braced heat exchanger, Carrier PM 100-110mm fan - 50 Hz - 0,53/0,18 kW - 720/500 RPM, Mecasem OOPSG001171100C receiver with a volume of 23,5 liter and a control cabinet with a Carrier Pro-Dialog+ display. <br> \*All components of this used chiller will be tested on adequate performance, leak free condition (condensing blocks, compressors, fans, control panel, and so forth). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. \*If requested we are happy to arrange your shipment.





