

# Dorin K3000CS-01 (x2) & H3000CS (x1) & Bitzer 6F-40.2Y (x2) & 6F-50.2Y-40P (x1)

## Specifications

Marka	Dorin
Typ	K3000CS-01 (x2) & H3000CS (x1) & Bitzer 6F-40.2Y (x2) & 6F-50.2Y-40P (x1)
Czynnik chłodzący	Freon
kW at -5°C/+40°C	431,1
kW at -10°C/+40°C	350,8
kW at -20°C/+40°C	223,8
kW at -30°C/+40°C	176,0
kW at -40°C/+40°C	98,5
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Separator oleju	✓
Poziom oleju w systemie	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Panel kontrolny	✓
m <sup>3</sup> / h	789,0
Package / Rack	✓



(LxWxH)

Btozkiary

2150x1550x2150 mm

## Description

### **Used Dorin K3000CS-01 (x2) & H3000CS (x1) & Bitzer 6F-40.2Y (x2) & 6F-50.2Y-40P (x1)**

Used Dorin K3000CS-01 (x2) & H3000CS (x1) & Bitzer 6F-40.2Y (x2) & 6F-50.2Y-40P (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with oil separators, oil reservoirs, pressure and safety switches/gauges and a control cabinet. The compressor has a displacement of 789 m<sup>3</sup>/h. This set was originally used for two separate cold rooms.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. \*Optionally we can also perform a new paint job and arrange the logistics.











