

Goedhart FC38Dp 63404-230

Specifications

Marka	Goedhart
Typ	FC38Dp 63404-230
Ogólna wydajność w kW	15,4
Czynnik chłodzący	Freon
Liczba wentylatorów	3
Średnica wentylatora mm	4
Rozmrażanie	None
Podwójny odpływ	✓
Przepływ powietrza w m ³ /h	7.051
Rozmiary	2250x1000x400 mm (LxWxH)
Uwagi	Y.o.b. 2015
Volume	17
Waga	170
Stock	2



Description

Used Goedhart FC38Dp 63404-230

Used Goedhart FC38Dp 63404-230 Freon evaporator. Complete with 3 Ziehl-Abegg FN040-6EW.0F.A7P1 fans 50/60 Hz - 0,13/0,17 kW - 950/1110 RPM - diameter 400 mm and a total airflow of 7.051 m³/h.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines, coils, bearings). Choosing HOSBV means buying with warranty. We perform an industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



GEA Goedhart B.V.
Nijverheidsweg 6 4695 RC Sint-Maartensdijk, The Netherlands
Tel. +31(0)166 665 665 www.goedhart.nl

Man. no.: **PJV150163, VK1500101 / 350053090**

Type: **FC38Dp 63404-230**

Number: **1** of **2** Year: **2015**

Client ref.: **-**

M.: **170** kg **-** TS: **55/-5** °C

V: **17** dm³ PS: **28** bar

- PT: **40** bar

Fluid: **R134a DX**

Goedhart Manufactured by GEA Heat Exchangers a.s.

GEA Goedhart B.V.
Nijverheidsweg 6 4695 RC Sint-Maartensdijk, The Netherlands
Tel. +31(0)166 665 665 www.goedhart.nl

Man. no.: **PJV150163, VK1500101 / 350053090**

Type: **FC38Dp 63404-230**

Number: **2** of **2** Year: **2015**

Client ref.: **-**

M.: **170** kg **-** TS: **55/-5** °C

V: **17** dm³ PS: **28** bar

- PT: **40** bar

Fluid: **R134a DX**

Goedhart Manufactured by GEA Heat Exchangers a.s.





