

Bitzer 4JE-15Y-40P Condensing unit

Specifications

| | |
|---|--|
| Marka | Bitzer |
| Typ | 4JE-15Y-40P Condensing unit |
| Czynnik chłodzący | Freon |
| kW at 0°C/+40°C | 53,4 |
| kW at -5°C/+40°C | 44,3 |
| kW at -10°C/+40°C | 36,4 |
| kW at -20°C/+40°C | 23,7 |
| kW at -30°C/+40°C | 14,3 |
| kW at -40°C/+40°C | 7,7 |
| kW at -45°C/+40°C | 5,1 |
| Podstawa na stalowej ramie | ✓ |
| Ciśnieniowe przełączniki bezpieczeństwa | ✓ |
| Obiornik cieczy | ✓ |
| Obiornik cieczy ltr. | 30 |
| Osuszający filter lini cieczy | ✓ |
| Okno widokowe | ✓ |
| Panel kontrolny | ✓ |
| m ³ / h | 63,5 m ³ /h at 50 Hz & 76,6 m ³ /h at 60 Hz |
| Uwagi | Y.o.b. 2018 |
| Condensing Unit | ✓ |
| Rozmiary | 1750x1200x1400 mm (LxWxH) |



Stock

1

Description

Used Bitzer 4JE-15Y-40P Condensing unit

Used Bitzer condensing unit on Freon built in 2018. Complete with 1 Bitzer 4JE-15Y-40P semi-hermetic reciprocating compressor, condenser with 2 EBM-Papst S3G500-AM06-H7 fans - 50/60 Hz - 0,34 kW - 1100 RPM - diameter 500 mm, Bitzer F302H liquid receiver with a volume of 30 liter, pressure and safety switch and a control cabinet. The compressor has a displacement of 63,5 m³/h at 50 Hz & 76,6 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.





