

Carrier 30 RBS 120

Specifications

Marka	Carrier
Typ	30 RBS 120
Typ produktu	Air Cooled Chiller
Ogólna wydajność w kW	114,0
Ogólna wydajność w	32,4
Tonaż	
Czynnik chłodzący	Freon
Typ czynnika chłodzącego	R410A
Pump	✓
Waga kg.	795
Rozmiary	2300x2100x1360 mm (LxWxH)
Compressor(s) type & model	x3 Copeland ZP182KQE-TFD-604
Display	Carrier Pro-Dialog Plus
Number of fans	2
Fan specifications	50 Hz - 720/500 RPM - 0,53/0,18 kW
Uwagi	Y.o.b. 2014
Stock	1



Description

Used Carrier 30 RBS 120

Used Carrier 30 RBS 120 air-cooled chiller on R410A. Complete with 3 Copeland ZP182KQE-TFD-604 scroll compressors, condenser with 2 Carrier PM 100-110mm fans - 50 Hz - 0,53/0,18 kW - 720/500 RPM, Carrier F120THx94/1P-SC-M brazed heat exchanger as evaporator, Grundfos AC30 water pump, expansion vessel and a control cabinet with a Carrier Pro-Dialog+ controller and frequency converters.

*All components of this used chiller will be tested on adequate performance, leak free condition (condensing blocks, compressors, fans, control panel and so forth). Choosing HOSBV means buying with warranty. We perform a industrial cleaning if requested we can arrange your shipment.





