


Grasso F2M S3-2500

Specifications

Marka	Grasso
Typ	F2M S3-2500
Czynnik chłodzący	NH 3 (ammonia)
kW at -30°C/+40°C	680
kW at -40°C/+40°C	448
Silnik elektryczny Specs	2x 160 kW at 2970 RPM
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Poziom oleju w systemie	✓
Panel kontrolny	✓
Uwagi	Y.o.b. 1995
Waga kg.	6400 kg
Rozmiary	4340x1280x2440 mm (LxWxH)
Stock	1



Description

Used Grasso F2M S3-2500

Used Grasso two-stage screw compressor set on R717 (Ammonia). Complete with Grasso S3-2500 low-stage screw compressor with a FFD DPIG 315 MBN/2 electric motor - 50 Hz - 160 kW - 2970 RPM, oil separator, 2 oil coolers, oil pump, pressure gauges and a control cabinet. This set comes further with a Grasso S3-900 high stage screw compressor and a FFD DPIG 315 MB/2 electric motor - 50 Hz - 160 kW - 2970 RPM. This unit has a cooling capacity of 680 kW at -30°C/+40°C.

Running hours: 48.273 hours
(Overhauled at 48.200 hours)

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.



**Your partner for used commercial and
industrial refrigeration equipment**

*Optional we can also perform a new
paint job and arrange the logistics.

