

Grasso Z-61

Specifications

Marka	Grasso
Typ	Z-61
Czynnik chłodzący	NH 3 (ammonia)
kW at -40°C/+40°C	701,0
Silnik elektryczny Specs	2x 160 kW at 2970 RPM
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Poziom oleju w systemie	✓
Panel kontrolny	✓
Uwagi	Y.o.b. 1997
Waga kg.	8600 kg
Rozmiary	4700x1620x2580 mm (LxWxH)
Stock	1



Description

Used Grasso Z-61


Used Grasso two-stage screw compressor set on R717 (Ammonia). Complete with a Grasso Z-61 low stage screw compressor and a Schorch KA7318M-AB01B electric motor - 50/60 Hz - 160/184 kW - 2975/3575 RPM, oil separator, oil cooler and a control cabinet. This set comes further with a Grasso P-2 high stage screw compressor and a Schorch KN7315S-AB01G-Z electric motor - 50 Hz - 160 kW - 2975 RPM. This unit has a cooling capacity of 701 kW at -40°C/+40°C.



Running hours: 22.821 hours
(Overhauled at 13.690 hours)

Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all



equipment including an extensive test, warranty and industrial cleaning.
*Optional we can also perform a new paint job and arrange the logistics.





 Grasso Grasso GmbH Refrigeration Technology Berlin, Germany			
Typ/Type/Type	Serien-Nr./Serial No/N° de série	Baujahr/Built in/An.constr.	
Z-61	ZO 065/409499	1997	
zul. Betr. Überdruck max. working press. Supr. service adm.	28	bar	Kältemittel Refrigerant Frigorigène
Volumenstrom Flow rate Debit	2748	m³/h	Drehzahl Speed Vitesse
Leergewicht Weight empty Poids à vide	1670	kg	Vol. Verhältnis Vol. ratio Rapp. vol.
			2.6



