

Sabroe SAB 128 HF MK2 (x2)

Specifications

Marka	Sabroe
Typ	SAB 128 HF MK2 (x2)
Czynnik chłodzący	Freon
kW at -10°C/+40°C	768
kW at -20°C/+40°C	542,2
kW at -30°C/+40°C	364,4
kW at -40°C/+40°C	228,2
Silnik elektryczny Specs	132 kW at 3555 RPM (60 Hz) (x2)
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Wskaźniki ciśnienia	✓
Separator oleju	✓
Poziom oleju w systemie	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
Uwagi	Incl. Oil Coolers and Unisab S-controls // y.o.b. 1991 // MKII compressor // Possibility to change electromotor to 50 Hz // Capacity based on 60 Hz with open economizer



Uwagi	R404a – R22 or other freon types
Package / Rack	✓
Rozmiary	2200x1760x1800 mm (LxWxH)
Stock	1

Description

Used Sabroe SAB 128 HF MK2 (x2)

Used Sabroe SAB 128 HF MK2 (x2) freon compressor package, complete with unloaded start, capacity control, pressure gauges, oil separator, oil level system, solenoid valve and control panel. This unit has a cooling capacity of 768 kW at -10°C/+40°C.

Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.



