

Bitzer 6G-40.2 (x3)

Specifications

Marka	Bitzer
Typ	6G-40.2 (x3)
Czynnik chłodzący	Freon
kW at +10°C/+40°C	400,2*
kW at 0°C/+40°C	307,8
kW at -5°C/+40°C	256,2
kW at -10°C/+40°C	198
kW at -20°C/+40°C	125,7
kW at -30°C/+40°C	73,5
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Separator oleju	✓
Panel kontrolny	✓
Uwagi	# // *Capacity based on +7,5C/+40C
Uwagi	R404a - R22 or other freon types
Package / Rack	✓
Rozmiary	2200x1200x1500 mm (LxWxH)
Stock	1



Description

Used Bitzer 6G-40.2 (x3)

Used Bitzer 6G-40.2 (x3) compressor rack, complete with unloaded start, capacity control, pressure safety switches, pressure gauges, oil separator and control panel. This unit has a cooling capacity of 400,2 kW at +7,5C/+40C.

Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.



