

Bitzer 4P.2 (x2)

Specifications

Marka	Bitzer
Typ	4P.2 (x2)
Czynnik chłodzący	Freon
kW at +10°C/+40°C	103,8
kW at 0°C/+40°C	79,2
kW at -5°C/+40°C	60,4
kW at -10°C/+40°C	49,6
kW at -20°C/+40°C	32,1
kW at -30°C/+40°C	19,4
kW at -40°C/+40°C	10,4
Silnik elektryczny Specs	11
Rozładunek	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	80
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Panel kontrolny	✓
Uwagi	Electromotor: 11 kW at 1460 RPM



	freon types
Paragid / Rack	R404a - R22 or other
Rozmiar	2400x1300x2150 mm (LxWxH)
Stock	1

Description

Used Bitzer 4P.2 (x2)

Used Bitzer 4P.2 (x2) freon compressor rack, complete with unloaded start, pressure safety switches, pressure gauges, oil separator, liquid line filter drier, sight glass, control panel and liquid receiver with a volume of 80 liters.

Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.



