

Bitzer 6H.2 (x3)

Specifications

Marka	Bitzer
Typ	6H.2 (x3)
Czynnik chłodzący	Freon
kW at +10°C/+40°C	407,8
kW at 0°C/+40°C	288,9
kW at -5°C/+40°C	240,5
kW at -10°C/+40°C	198,4
kW at -20°C/+40°C	130,6
kW at -30°C/+40°C	80,6
kW at -40°C/+40°C	44,4
Silnik elektryczny Specs	30
Rozładunek	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Separator oleju	✓
Uwagi	Electromotor: 30 kW at 1485 RPM // Pulley EM: 230 / Comp: 220
Uwagi	R404a - R22 or other freon types
Package / Rack	✓
Rozmiary	3300x1500x1050 mm (LxWxH)
Stock	1



Description

Used Bitzer 6H.2 (x3)

Used Bitzer 6H.2 (x3) freon compressor rack, complete with unloaded start, pressure safety switches, pressure gauges and oil separator. This unit has a cooling capacity of 407,8 kW at +10°C/+40°C.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.



