


Sabroe SAB 163 HF MK3

Specifications

Marka	Sabroe
Typ	SAB 163 HF MK3
Czynnik chłodzący	NH 3 (ammonia)
kW at 0°C/+40°C	1080,7
kW at -5°C/+40°C	890,7
kW at -10°C/+40°C	727
kW at -20°C/+40°C	467,9
kW at -30°C/+40°C	283,8
kW at -40°C/+40°C	158,1
Silnik elektryczny Specs	240
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Panel kontrolny	✓
Uwagi	# // Electromotor: 240 kW at 3575 RPM (Overhauled in March 2010) // Including Control Panel
Rozmiary	2900x1050x2000 mm (LxWxH)
Stock	1



Description

Used Sabroe SAB 163 HF MK3

Used Sabroe SAB 163 HF MK3 ammonia compressor, complete with pressure safety switches, oil separator, liquid line filter drier, sight glass and control panel. This unit has a cooling capacity of 1080,7 kW at 0°C/+40°C.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.

