

Copeland CHT-CU-70 SCR Condensing unit

Specifications

Marka	Copeland
Typ	CHT-CU-70 SCR Condensing unit
Czynnik chłodzący	Freon
Refrigerant type	R507A or other types
kW at +10°C/+40°C	27,8
kW at 0°C/+40°C	19,2
kW at -5°C/+40°C	16
kW at -10°C/+40°C	13,1
kW at -20°C/+40°C	8,4
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	22
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Panel kontrolny	✓
Uwagi	# // Part of Stocknr: 5223
Condensing Unit	✓
Rozmiary	2050x700x750 mm (LxWxH)



Stock

1

Description

Used Copeland CHT-CU-70 SCR Condensing unit

Used Frigotronic CHT-CU-70 SCR freon condensing unit, complete with pressure safety switches, liquid line filter drier, sight glass, control panel and liquid receiver with a volume of 22 liters. this unit has a cooling capacity of 27,8 kW at +10°C/+40°C.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.

