

Bitzer 4N.2 Condensing unit

Specifications

Marka	Bitzer
Typ	4N.2 Condensing unit
Czynnik chłodzący	Freon
kW at +10°C/+40°C	62,1*
kW at 0°C/+40°C	47,9
kW at -5°C/+40°C	39,9
kW at -10°C/+40°C	32,9
kW at -20°C/+40°C	21,7
kW at -30°C/+40°C	13,4
kW at -40°C/+40°C	7,5
Rozładunek	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	55
Panel kontrolny	✓
Uwagi	*Capacity based on +7.5°C/+40°C
Uwagi	R404a - R22 or other freon types
Condensing Unit	✓
Rozmiary	1950x750x1850 mm (LxWxH)
Stock	1



Description

Used Bitzer 4N.2 Condensing unit

Used Bitzer 4N.2 freon condensing unit, complete with unloaded start, pressure safety switches, control panel and liquid receiver with a volume of 55 liters. This unit has a cooling capacity of 62,1 kW at +7.5°C/+40°C.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.



