

Sabroe SMC 112 E MK3 package

Specifications

Marka	Sabroe
Typ	SMC 112 E MK3 package
Czynnik chłodzący	NH 3 (ammonia)
kW at +10°C/+40°C	1293,1
kW at 0°C/+40°C	862,6
kW at -5°C/+40°C	690,4
kW at -10°C/+40°C	543,4
kW at -20°C/+40°C	315,6
kW at -30°C/+40°C	160
kW at -40°C/+40°C	58,3
Silnik elektryczny Specs	200
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Separator oleju	✓
Panel kontrolny	✓
Uwagi	y.o.b. 2002 // Electromotor: 200 kW at 1480 RPM
Package / Rack	✓
Rozmiary	2900x1100x1600 mm (LxWxH)
Stock	1



Description

Used Sabroe SMC 112 E MK3 package

Used Sabroe SMC 112 E MK3 package. Complete with a Sabroe SMC 112 E NH3 compressor. Schorch 50 Hz - 200 kW - 1480 RPM. OVUR 4113D oil separator and capacity control.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment soley if it has passed our extensive quality test and after it has been cleaned industrially. *If requested we are happy to arrange your shipment.





