

Bitzer 4DC-5.2Y-40S (x3) cool/freeze installation

Specifications

Marka	Bitzer
Typ	4DC-5.2Y-40S (x3) cool/freeze installation
Czynnik chłodzący	Freon
Refrigerant type	R507 or other types
kW at -5°C/+40°C	54
kW at -10°C/+40°C	44,4
kW at -20°C/+40°C	29,1
kW at -30°C/+40°C	17,7
kW at -40°C/+40°C	13,3
Uwagi	skid and compressors yob 2006
Waga kg.	85,5 (each Compressor weight)
Package / Rack	✓
Rozmiary	2500x1000x1100mm (LxWxH)
Projekt	*Capacity calculated for 3x compressors on R507A
1360	For more information please see attachment below // Capacity on pdf based on 1 compressor
Stock	1



Description

Used Bitzer 4DC-5.2Y-40S (x3) cool/freeze installation

Used, well maintained Bitzer cooling / freezing unit. Based on Bitzer 4DC-5.2Y-40S (x3) freon semi-hermetic reciprocating refrigeration compressors. Our capacity table is based on the used type of Freon. You can also use this compressors on alternative types of Freon. For all the other specs (if available), see the picture of the manufacturer model plate or the attached pdf file. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new



paint job and arrange the logistics.



