

DWM D9RS4-1500-EWM (x3) cool package

Specifications

Marka	DWM
Typ	D9RS4-1500-EWM (x3) cool package
Czynnik chłodzący	Freon
kW at +10°C/+40°C	52.74
kW at 0°C/+40°C	36.20
kW at -5°C/+40°C	29.41
kW at -10°C/+40°C	23.48
kW at -20°C/+40°C	13.87
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Separator oleju	✓
m3 / h	64
Uwagi	R404 , R22 and other types
Package / Rack	✓
Stock	1



Description

Used DWM D9RS4-1500-EWM (x3) cool package

Used, DWM D9RS4-1500-EWM/000 (x3) Semi-hermetic piston compressor with oil separator, pressure gauges and safety switches. You can also use this compressor on alternative types of Freon. For all the other specs (if available), see the picture of the manufacturer model plate or the attached pdf file. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.





Model: D9RS-1500
Capacity

Cooling capacity [kW]

$t_c \setminus t_e$	-25	-20	-15	-10	-5	0	5	10
30	12.57	16.71	21.51	27.06	33.47	40.81	49.19	58.69
35	11.28	15.29	19.93	25.28	31.45	38.52	46.59	55.74
40	10.00	13.87	18.34	23.48	29.41	36.20	43.94	52.74
45	-	12.46	16.75	21.68	27.35	33.85	41.28	49.71
50	-	-	15.17	19.88	25.29	31.50	38.59	46.66
55	-	-	13.60	18.08	23.23	29.13	35.89	43.58
60	-	-	-	16.31	21.18	26.78	33.18	40.49

Power input [kW]

$t_c \setminus t_e$	-25	-20	-15	-10	-5	0	5	10
30	5.82	6.56	7.25	7.87	8.38	8.77	9.01	9.08
35	6.02	6.86	7.66	8.40	9.05	9.59	10.00	10.25
40	6.18	7.11	8.02	8.89	9.68	10.38	10.95	11.38
45	-	7.33	8.35	9.34	10.27	11.11	11.85	12.46
50	-	-	8.63	9.74	10.81	11.80	12.71	13.49
55	-	-	8.88	10.11	11.31	12.45	13.52	14.48
60	-	-	-	10.44	11.76	13.05	14.28	15.41