

# Maneurop MT 57 HL 4A VE (x2) condensing unit

## Specifications

|                                         |                                                                                                             |
|-----------------------------------------|-------------------------------------------------------------------------------------------------------------|
| Marka                                   | Maneurop                                                                                                    |
| Typ                                     | MT 57 HL 4A VE (x2)<br>condensing unit                                                                      |
| Czynnik chłodzący                       | Freon                                                                                                       |
| kW at +10°C/+40°C                       | 36,2                                                                                                        |
| kW at 0°C/+40°C                         | 23,4                                                                                                        |
| kW at -5°C/+40°C                        | 18,3                                                                                                        |
| kW at -10°C/+40°C                       | 14,1                                                                                                        |
| kW at -20°C/+40°C                       | 7,7                                                                                                         |
| Podstawa na stalowej ramie              | ✓                                                                                                           |
| Ciśnieniowe przełączniki bezpieczeństwa | ✓                                                                                                           |
| Obiornik cieczy                         | ✓                                                                                                           |
| m <sup>3</sup> / h                      | 16.73                                                                                                       |
| Uwagi                                   | Our capacity table is based on Manufacturer spec. We would like to know which refrigerant is in your system |
| Waga kg.                                | 120                                                                                                         |
| Condensing Unit                         | ✓                                                                                                           |
| Rozmiary                                | 2700x690x700 mm<br>(LxWxH)                                                                                  |
| Stock                                   | 1                                                                                                           |



## Description


### Used Maneurop MT 57 HL 4A VE (x2) condensing unit

Used Maneurop condensing unit on Freon. Complete with 2 Maneurop MT 57 HL 4A VE scroll compressors, condenser with 4 fans, liquid receiver and pressure and safety switches/gauges.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics.





#### Cooling capacity [W]

| t <sub>c</sub> \ t <sub>e</sub> | -25   | -20   | -15   | -10   | -5     | 0      | 5      | 10     | 15     |
|---------------------------------|-------|-------|-------|-------|--------|--------|--------|--------|--------|
| 30                              | 3 254 | 4 579 | 6 238 | 8 261 | 10 682 | 13 530 | 16 839 | 20 639 | 24 962 |
| 35                              | 2 967 | 4 195 | 5 741 | 7 638 | 9 915  | 12 606 | 15 742 | 19 355 | 23 476 |
| 40                              | 2 712 | 3 837 | 5 266 | 7 030 | 9 160  | 11 688 | 14 646 | 18 066 | 21 980 |
| 45                              | 2 496 | 3 513 | 4 819 | 6 445 | 8 422  | 10 782 | 13 558 | 16 780 | 20 480 |
| 50                              | -     | 3 229 | 4 407 | 5 890 | 7 709  | 9 897  | 12 484 | 15 503 | 18 985 |
| 55                              | -     | -     | 4 037 | 5 372 | 7 028  | 9 038  | 11 432 | 14 243 | 17 502 |
| 60                              | -     | -     | -     | 4 898 | 6 386  | 8 213  | 10 409 | 13 006 | 16 037 |
| 65                              | -     | -     | -     | -     | 5 791  | 7 429  | 9 421  | 11 801 | 14 598 |

#### Power input [W]

| t <sub>c</sub> \ t <sub>e</sub> | -25   | -20   | -15   | -10   | -5    | 0     | 5     | 10    | 15    |
|---------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 30                              | 2 019 | 2 270 | 2 495 | 2 695 | 2 871 | 3 025 | 3 158 | 3 273 | 3 369 |
| 35                              | 2 093 | 2 376 | 2 632 | 2 864 | 3 073 | 3 259 | 3 426 | 3 573 | 3 702 |
| 40                              | 2 154 | 2 470 | 2 761 | 3 027 | 3 270 | 3 492 | 3 693 | 3 875 | 4 040 |
| 45                              | 2 199 | 2 551 | 2 878 | 3 181 | 3 461 | 3 720 | 3 959 | 4 179 | 4 382 |
| 50                              | -     | 2 618 | 2 984 | 3 326 | 3 645 | 3 943 | 4 222 | 4 482 | 4 725 |
| 55                              | -     | -     | 3 076 | 3 459 | 3 820 | 4 160 | 4 480 | 4 783 | 5 068 |
| 60                              | -     | -     | -     | 3 579 | 3 984 | 4 368 | 4 733 | 5 080 | 5 410 |
| 65                              | -     | -     | -     | -     | 4 136 | 4 566 | 4 978 | 5 372 | 5 750 |