

# Maneurop MTZ56HL4AVE (x3) condensing unit

## Specifications

Marka	Maneurop
Typ	MTZ56HL4AVE (x3) condensing unit
Czynnik chłodzący	Freon
kW at +10°C/+40°C	64.38
kW at 0°C/+40°C	42.87
kW at -5°C/+40°C	34.20
kW at -10°C/+40°C	26.76
kW at -20°C/+40°C	15.15
kW at -30°C/+40°C	7.08
Podstawa na stalowej ramie	✓
Obiornik cieczy	✓
m <sup>3</sup> / h	16.73
Uwagi	Our capacity table is based on Manufacturer spec. We would like to know which refrigerant is in your system
Waga kg.	150
Package / Rack	✓
Condensing Unit	✓
Stock	2




## Description

### Used Maneurop MTZ56HL4AVE (x3) condensing unit

Used Danfoss-Maneurop MTZ56HL4AVE (x3) scroll compressor, condensing unit. You can also use this compressor(s) on alternative types of Freon. For all the other specs (if available), see the picture of the manufacturer model plate or the attached pdf file. \*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*Optional we can also perform a new paint job and arrange the logistics.







## Cooling capacity [W]

t <sub>c</sub> \ t <sub>e</sub>	-30	-25	-20	-15	-10	-5	0	5	10
30	3 487	4 805	6 438	8 424	10 801	13 608	16 883	20 664	24 991
35	2 894	4 170	5 733	7 620	9 871	12 523	15 616	19 187	23 275
40	2 366	3 581	5 053	6 823	8 928	11 406	14 297	17 638	21 468
45	1 912	3 045	4 408	6 041	7 980	10 265	12 934	16 025	19 578
50	1 539	2 572	3 806	5 281	7 036	9 107	11 535	14 358	17 613
55	-	2 169	3 255	4 554	6 104	7 943	10 110	12 643	15 582
60	-	1 845	2 764	3 866	5 192	6 779	8 666	10 891	13 493

## Power input [W]

t <sub>c</sub> \ t <sub>e</sub>	-30	-25	-20	-15	-10	-5	0	5	10
30	2 204	2 563	2 908	3 225	3 501	3 724	3 881	3 958	3 943
35	2 302	2 672	3 034	3 375	3 682	3 942	4 143	4 272	4 315
40	2 369	2 753	3 137	3 506	3 849	4 152	4 402	4 587	4 692
45	2 404	2 808	3 219	3 622	4 004	4 354	4 658	4 904	5 077
50	2 410	2 838	3 280	3 721	4 149	4 551	4 913	5 224	5 469
55	-	2 844	3 322	3 806	4 284	4 742	5 168	5 549	5 871
60	-	2 828	3 346	3 878	4 410	4 929	5 424	5 879	6 284