

Bitzer HSN 6451-40 Freeze package

Specifications

Marka	Bitzer
Typ	HSN 6451-40 Freeze package
Czynnik chłodzący	Freon
kW at -20°C/+40°C	72,5
kW at -30°C/+40°C	49,8
kW at -40°C/+40°C	32,2
kW at -45°C/+40°C	25,0
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	125
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Panel kontrolny	✓
m ³ / h	140
Uwagi	Capacity is calculated with economizer



	with capacity matching
	condensor and
	evaporators
Capacity	Please note: we will only
Stock	offer this as complete
	blastfreezing solution

Description


Used Bitzer HSN 6451-40 Freeze package


Used Bizer HSN freeze package. Containing the following elements: Bitzer HSN 6451-40 screw compressor with economizer. Frigomec liquid receiver 125 ltr with liquid line filter. Bitzer oil separator 40 ltr with oil cooler PHE. 1 Fin evaporator. Pressure safety switches, gauges and control panel.


Please note: we will only offer this as complete blastfreezing solution with capacity matching condensor and evaporators

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics









HTS		Novosedly na Moravě Czech Republic		CE CAT.1
HEAT TRANSFER SYSTEMS				
Articolo/Article/Artikel Nr.		Riferimento cliente/Client ref./Kunde Id. Nr.		Fluido/Fluid/Fluid
10144775		35310004 OL200		G2
Ordine di prod./Prod. order/Fertigungsauftrag		Data fabbr./Manufacturing date/Fertigungsdatum		Volume tot./Tot. volume/Ges. innenvol
4337378/1		16.11.2018		[L] 3,910
PS [Bar] / Druck PS [Bar]		Temperatura/Temperatur e/Temperatur [°C]		DN collettore/Pipe diameter/Sammler DN
28 Bar				
Aria/Air/Luft	Refrigerante/ Kältemittel	Min.	Max.	Volume coil/Sammlervolum
		-10	+120	

