

Mycom FM 160S-ME

Specifications

Marka	Mycom
Typ	FM 160S-ME
Czynnik chłodzący	Freon
Refrigerant type	R507A or other types
kW at -10°C/+40°C	246
kW at -20°C/+40°C	163,9
kW at -30°C/+40°C	103,8
kW at -40°C/+40°C	61
Silnik elektryczny Specs	110 kW at 2960 RPM by Leroy Somer
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	465
Ssanie	✓
Separator oleju	✓
Poziom oleju w systemie	✓
Osuszający filter lini cieczy	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓



	exchanger / Oil separator: +/- 1100x600 mm (LxØ) / Control panel: compressor regulation, relais, head switch etc.
Bozorgi dry	FM 160S-1050x1950 mm (LxØ) / 2x heat exchanger!!
Stock	1

Description

Used Mycom FM 160S-ME

Used Mycom FM 160S-ME freon compressor, complete with unloaded start, capacity control, pressure gauges, suction accumulator, oil separator, oil level system, liquid line filter drier, solenoid valve, control panel and liquid receiver with a volume of 465 liters. This unit has a cooling capacity of 246 kW at -10°C/+40°C.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





