

# Bitzer 4HE-15Y-40P + 4NES-12Y-40P (x2) + 2KSL-1K-40S (x2) + 44VES-20Y-40P CO2/Freon system

## Specifications

Marka	Bitzer
Typ	4HE-15Y-40P + 4NES-12Y-40P (x2) + 2KSL-1K-40S (x2) + 44VES-20Y-40P CO2/Freon system
Czynnik chłodzący	CO2
kW at -10°C/+40°C	83,8
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	80
Separator oleju	✓
Poziom oleju w systemie	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Panel kontrolny	✓
Uwagi	y.o.b. 2014
Package / Rack	✓
Rozmiary	3510x1400x2000 mm



Stock

1

## Description

### **Used Bitzer 4HE-15Y-40P + 4NES-12Y-40P (x2) + 2KSL-1K-40S (x2) + 44VES-20Y-40P CO2/Freon system**

Used Bitzer CO2/Freon installation with a cool/freeze and heat pump system. Cool system: (1x) Bitzer 4HE-15Y-40P (2x) Bitzer 4NES-12Y-40P capacity 84 kW (-10/+40°C) 70 Hz - R134A. Freeze system: (2x) Bitzer 2KSL-1K-40S capacity 11 kW (-33/-5°C) 60 Hz - R744. Heatpump system: Bitzer 44VES-20Y-40P capacity 56 kW (+10/+48°C) 70 Hz - R134A with air purger. Emergency cooling (1x) Bitzer 4FES-3Y-40S capacity 0,39 kW (+10/+40°C).

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also arrange the logistics.











