

Bock HGX6/1080-4 S (x4) Package

Specifications

Marka	Bock
Typ	HGX6/1080-4 S (x4) Package
Czynnik chłodzący	Freon
Refrigerant type	R404A or other types
kW at +10°C/+40°C	454.8
kW at 0°C/+40°C	3248.4
kW at -5°C/+40°C	284
kW at -10°C/+40°C	233.6
kW at -20°C/+40°C	151.20
kW at -30°C/+40°C	90.8
kW at -40°C/+40°C	48.40
kW at -45°C/+40°C	32.8
Rozładunek	✓
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	866
Separator oleju	✓
Osuszający filter lini cieczy	✓
Uwagi	454.8 kW is at +7.5°C/+40°C



Stock


1




Description


Used Bock HGX6/1080-4 S (x4) Package

Used Bock HGX6/1080-4 S (x4) compressor unit. Complete with liquid receiver 866ltr, oil separator, pressure vessel and pressure safety switches and gauges. *Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.









R404A/R507		Performance data												50 Hz	
Type	Cond. temp. °C	Cooling capacity $\dot{Q}_0$ [kW]												Power consumption P_e [kW]	
		Evaporating temperature °C													
		7,5	5	0	-5	-10	-15	-20	-25	-30	-35	-40	-45		
HGXS1240-4	30 Q	133368	122554	102765	83399	68935	56229	45169	35643	27538	20444	15146	10634		
	P	27,78	27,28	26,04	25,70	23,26	20,54	18,62	16,56	14,43	12,29	10,21	8,25		
HGXS1240-4 S	40 Q	113720	104299	87122	71042	58440	47422	37874	29684	22741	16931	12143	8265		
	P	33,36	32,38	30,24	27,42	25,14	22,68	20,13	17,53	14,97	12,49	10,17	8,08		
HGXS1240-4 S	50 Q	94323	86295	71734	58323	47668	38420	30468	23698	17998	13257	9362			
	P	38,27	36,83	33,86	30,45	27,41	24,30	21,19	18,14	15,22	12,49	10,02			
	30 Q									38742	30407	23329	17378	12423	