

Sabroe TCMO 28

Specifications

Marka	Sabroe
Typ	TCMO 28
Czynnik chłodzący	NH 3 (ammonia)
kW at -20°C/+40°C	52,7
kW at -30°C/+40°C	32,4
kW at -40°C/+40°C	18,7
Silnik elektryczny Specs	Schorch 50Hz / 22 kW / 1465 RPM
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Separator oleju	✓
Okno widokowe	✓
m ³ / h	142
Rozmiary	1750x800x1170 mm (LxWxH)
Stock	1






Description


Used Sabroe TCMO 28

Used Sabroe TCMO 28 two-stage reciprocating compressor. Complete with Schorch electromotor 50 Hz - 22 kW - 1465 RPM, 15 ltr oil separator and Unisab II compressor control.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning.

*Optionally we can also perform a new paint job and arrange the logistics.





AARHUS DENMARK			
Type	0 VUR 210 6 D.		
Fremstillings år	1996	Beholder nr.	10 2071
Beregningsnorm	DS 320		
Gødkendelses nr.			
	Svøb side	Rør side	
Medie	R23		
Max. driftstryk	26		bar
Prøvetryk	34		bar
Max. driftstemp.	120		°C
Min. driftstemp.	0		°C
Volumen	112		liter