

Sabroe SAB 128 HF MK2 man VI

Specifications

Бренд	Sabroe
Тип	SAB 128 HF MK2 man VI
Хладагент	Freon
кВт at +10°C/+40°C	533,8
kW at 0°C/+40°C	380,2
kW at -5°C/+40°C	317,4
кВт at -10°C/+40°C	262,8
кВт at -20°C/+40°C	227,0
кВт at -30°C/+40°C	152,2
кВт at -40°C/+40°C	94,9
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Маслоотделитель	✓
Фильтр-осушитель	✓
Смотровое стекло	✓
Панель управления	✓
м3 / h	455/548
Примечания	Y.o.b. 2000
Размеры	2050x1050x1640 mm (LxWxH)
Stock	1



Description

Used Sabroe SAB 128 HF MK2 man VI

Used Sabroe SAB 128 HF compressor unit. Complete with a Sabroe SAB 128 HF MK3 screw compressor, Brook crompton (110 kW - 2930 RPM) electromotor, oil seperator, OOSI 21142 A oil cooler, Unisab 2 and a Prosab 2 control panel.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning.

*Optionally we can also perform a new paint job and arrange the logistics.





