

Bitzer 4DC-7.2Y-40S Condensing unit

Specifications

Бренд	Bitzer
Тип	4DC-7.2Y-40S Condensing unit
Хладагент	Freon
kW at 0°C/+40°C	21,1
kW at -5°C/+40°C	17,5
кВт at -10°C/+40°C	14,3
кВт at -20°C/+40°C	9,3
кВт at -30°C/+40°C	5,5
Разгруженный старт	✓
Управление	✓
производительностью	
На стальной раме	✓
Жидкостный ресивер	✓
Жидкостный ресивер л.18 liter	
Маслоотделитель	✓
Фильтр-осушитель	✓
Смотровое стекло	✓
m3 / h	26,84 m ³ /h
Condensing Unit	✓
Размеры	1450x810x800 mm (LxWxH)
Stock	1



Description

Used Bitzer 4DC-7.2Y-40S Condensing unit

Used Bitzer condensing unit complete with a Bizer 4DC-7.2Y-40S semi-hermetic reciprocating compressor, a Liquid receiver of 18 liter, a oil separator, liquid line filter drier and sight glasses. The air is distributed by 2 fans with a diameter of 450 mm and 1500 rpm at 50 Hz. The displacement of this condensing unit is 26,84 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.







