

Koma KTR-1-240-900 Turbo Runner - Tunnel Freezer

Specifications

Производитель	Koma
Тип	KTR-1-240-900 Turbo Runner - Tunnel Freezer
Хладагент	Freon
Размеры	11.240x2850x2350 mm (LxWxH)
Maximum product height 75 mm	
Evaporator specifications 5x Goedhart KTR-E	
Tiers	1
height infeed / outfeed	950 / 950 mm
Total effective belt length	9000 mm
Effective belt width	2360 mm
Electricity (hz)	50 Hz
Stock	1



Description

Used Koma KTR-1-240-900 Turbo Runner - Tunnel Freezer

Used Koma KTR 1-240-900 - Turbo Runner Tunnel Freezer on R404A. The tunnel freezer has 3 compartments of 3000 mm and is complete with 5 Goedhart KTR-E evaporators with 4 Ziehl-Abegg fans - 50 Hz - 0,84/0,54 kW - 1340/940 RPM - diameter 500 mm, WEG ODG 734 electromotor - 50 Hz - 1410 RPM & REL71L/40 electromotor - 50 Hz - 0,25 kW - 1500 RPM, Siemens FDU 1207/2109101 001 3-stage gearbox, control box with a Koma Multicell display.

Belt specifications: effective belt length: 9000 mm & effective belt width: 2360 mm & height infeed/outfeed: 950/950 mm. Total dimensions: 11.240x2850x2350 mm

(LxWxH).

Capacity per hour examples:

236 kg/h hamburgers in 30 minutes
(110 grams/piece) +2°C to -20°C.

180 kg/h chicken schnitzel in 30
minutes (80 grams/piece) +7°C to
-20°C.

425 kg/h puff pastry in 7 minutes (70
grams/piece) +15°C to -18°C.

Further the Koma tunnel freezer comes
with the following:



Two pieces Bitzer S6F-30.2Y semi-
hermetic reciprocating compressor
sets. Complete with suction
accumulator, oil separator, pressure
and safety switches/gauges and a
control cabinet. Displacement of 101,1
m³/h at 50 Hz & 122 m³/h at 60 Hz.


Two pieces Helpman HTC 100-122 air-
cooled condensers. Complete with 2
Ziehl-Abegg FE100-NDS.6N.V7 fans - 50
Hz - 0,87/0,48 kW - 430/310 RPM -
diameter 1000 mm and a total airflow
of 23.800 m³/h.

For more information please feel free to
contact us!

*Why choose for HOSBV? We're not only
the largest used refrigeration specialist
in Europe, but also, we deliver all
equipment including an extensive test,
warranty and industrial cleaning.



*Optional we can also arrange the
logistics.







Type	KTR-E	
Manufacturingno.	98-8924	
Build in year	1998	
Medium	R404A	
Testpressure	30	bar
Min. workingtemp.	+50	°C
Max. workingtemp.	43	°C
Max. workingpress.	19.5	bar
Tubevolume	30	dm ³
Mass (empty)	150	kg












Tunnel Freezer RVS


Product	Product sizes (mm)	Product weight (gram)	T in °C	T out °C	Freezing time (min)	Total capacity (kg/h)
Hamburger	125 x 125 x 10	110	2	-20	30	236
Chicken schnitzel	140 x 70 x 10	80	7	-20	30	180
puff pastry	150 x 150 x 5	70	15	-18	7	425

















 HELPMAN		Apparatenfabriek Helpman BV Peizerweg 97, 9727 AJ Groningen (NL) Tel. ++31 50 5217555 / Fax ++31 50 5264873 info@helpman.com / www.helpman.com	
Type	HTC 100.122-V/420 PREP		
Serial number	511292/120964-15944/01		
Refrigerant	R404A		
Operating temp	100	°C (min/max)	
Design/test pressure	22/28	bar	year 2002
Internal volume	25.0	dm ³	
Weight (empty)	502	kg	0134 



