

Bock HGX6/1410-4 S (x2) & HGX5/945-4 S (x1)

Specifications

Бренд	Bock
Тип	HGX6/1410-4 S (x2) & HGX5/945-4 S (x1)
Хладагент	Freon
kW at 0°C/+40°C	257,9
kW at -5°C/+40°C	214,6
кВт at -10°C/+40°C	176,5
кВт at -20°C/+40°C	114,9
кВт at -30°C/+40°C	69,5
Разгруженный старт	✓
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Прессостаты конденсатора	✓
Отделитель жидкости	✓
Маслоотделитель	✓
Система маслоуравнивания	✓
Смотровое стекло	✓
Соленоидный клапан	✓
m ³ / h	327,0
Package / Rack	✓
Размеры	2200x1420x1520 mm (LxWxH)



Stock

1

Description

Used Bock HGX6/1410-4 S (x2) & HGX5/945-4 S (x1)

Used Bock HGX6/1410-4 S (x2) & HGX5/945-4 S (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with a AC&R S-1904 oil separator, AC&R S-9108 oil reservoir, suction accumulator, pressure and safety switches/gauges and AC&R S-9110A oil regulators. The compressors have a total displacement of 327,0 m³/h.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics





