

Güntner GADC CX 035.1/2-70.A

Specifications

Производитель	Güntner
Тип	GADC CX 035.1/2-70.A
кВт	5,1
Хладагент	CO2
К-во вентиляторов	2
Расстояние между ламелями, мм	7
Оттайка	None
Двухпоточный	✓
Поток воздуха м³/час	4.200
Размеры	1840x1050x290 mm (LxWxH)
Примечания	Y.o.b. 2018
Remarks	Surface: 15,6 m²
Stock	1



Description

Used Güntner GADC CX 035.1/2-70.A

Used Güntner GADC CX 035.1/2-70.A double discharge evaporator on CO2 build in 2018. Complete with 2 Ebm-Papst fans - 50/60 Hz - 0,17 kW - 1475 RPM - diameter 350 mm and a total airflow of 4.200 m³/h.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



Günter GmbH & Co. KG
Helm-Günter-Strasse 2-8
62386 Föhrdenhainbrunn
www.guenter.de

Projektnummer - Project number		101081761	
Druckgerätebezeichnung - Pressure equipment type		GADC CX 035.1/2-70-A-4479122M	
UI Nummer - UI number		4479122	
Seriennummer - Serial number		504069629/36.00456	
Herstellungsjahr - Year of manufacture		2018	
Ventilator / ID / Drehzahl - Fan / ID / Speed		VT03192U.1 / 2909 / 535 min ⁻¹	
Volumen - Volume (V)		I	
Max. zulässiger Druck (PS)		80 / 0 bar	0 / -1 bar
Max. permissible pressure (PS)		80 / 0 bar	0 / -1 bar
Zulässige min./max. Temperatur (TS)		-50 °C / +100 °C	-50 °C / +40 °C
Permissible min./max. temperature (TS)		-50 °C / +100 °C	-50 °C / +40 °C
Prüfdruck (PT) / Prüfmedium		114.4 bar / Druckluft - Compressed air	
Test pressure (PT) / Test medium		114.4 bar / Druckluft - Compressed air	
Prüfdatum - Test date		2018-09-06	
Fluidgruppe / Zustand - Group of fluid / State		2 / gasförmig - gaseous	

LV-Pos. 1800 Vorbereitung Flac



