

Goedhart SM202-68-P1

Specifications

Производитель	Goedhart
Тип	SM202-68-P1
кВт	37,4*
Хладагент	Freon
К-во вентиляторов	2
Расстояние между ламелями, мм	8
Оттайка	Hot Gas
Поток воздуха м³/час	22.968
Размеры	3060x1000x1150 mm (LxWxH)
Примечания	Y.o.b. 2018
Remarks	Capacity at an air entering temperature of -25°C to 20°C
Volume	56 dm³
вес	520 kg
Stock	2



Description

Used Goedhart SM202-68-P1

Used Kelvion / Goedhart SM202-68-P1 evaporator on Freon build in 2018 with hot gas defrost. Complete with 2 EBM-Papst S6D630-AN01-17 fans - 50 Hz - 0,60/0,40 kW - 890/690 RPM - diameter 630 mm and a total airflow of 22.968 m³/h.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



Kelvion		Kelvion Ltd	
		20 Davis Way, Newgate Lane Fareham, PO14 1AR, United Kingdom Tel: +44 (0)1329 823344 www.kelvion.com	
Article No.	100560493		
Serial No. / Date	5100763307-0001 / 2018		
Client Ref.	AR - 9073175		
Model	SM202-68-P1		
Electrical Data	P - Fan(s) Total		1440 W
Motor Supply	400 V - 3Ph - 50 Hz	I - Fan(s) Total	2.8 A
Heat Exchanger		Made in the EU	
Net weight	520 kg	Design pres. PS	21 bar
Coil Vol.	56.0 dm ³	Design temp. TS	°C
		Min/Max all temp.	°C/°C
Fluid group	2	PED category	1
		 	



