

Bitzer 2CC-3.2Y-40S (x3) Condensing unit

Specifications

Бренд	Bitzer
Тип	2CC-3.2Y-40S (x3) Condensing unit
Хладагент	Freon
kW at -5°C/+40°C	31,5
кВт at -10°C/+40°C	25,9
кВт at -20°C/+40°C	16,9
кВт at -30°C/+40°C	10,3
кВт at -40°C/+40°C	5,4
kW at -45°C/+40°C	3,6
На стальной раме	✓
Жидкостный ресивер	✓
Жидкостный ресивер л.15	
Маслоотделитель	✓
Система	✓
маслоуравнивания	
Соленоидный клапан	✓
m ³ / h	16,2
Примечания	Y.o.b. 2010
Condensing Unit	✓
Размеры	1900x1300x2250 mm (LxWxH)
Stock	1



Description

Used Bitzer 2CC-3.2Y-40S (x3) Condensing unit

Used Bitzer 2CC-3.2Y-40S (x3) condensing unit on Freon. Complete with 3 Bitzer 2CC-3.2Y-40S semi-hermetic reciprocating compressors, Güntner GVV 050.1A/1-NW.E condenser with a EBM-Papst S4E500-CM03-05 fan - 50/60 Hz - 0,68/0,88 - 1300/1400 RPM - diameter 500 mm, Bitzer FS152 liquid receiver 15 liter, ESK Schultze OSA-7,5 oil reservoir and a ESK Schultze OS-22H oil separator. The compressors together have a displacement of 48,6 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test,



warranty and industrial cleaning. *If
requested we are happy to arrange
your shipment.







