

Carrier 30 HXC 345

Specifications

Производитель	Carrier
Тип	30 HXC 345
Тип продукта	Water Cooled Chiller
кВт	1207,0
Мощность, тонн	343,2
Хладагент	Freon
Тип хладагента	R134A
Масса	5090
Sizes	4700x1100x2200 mm (LxWxH)
Compressor(s) type & model	4x Carlyle screw compressors
Display	Carrier Pro-Dialog Plus
Примечания	Y.o.b. 2009
Stock	1




Description

Used Carrier 30 HXC 345

Used Carrier 30 HXC 345 water cooled chiller on R134A. Complete with 4 Carlyle / Carrier screw compressors, shell and tube functioning as evaporator with a water volume of 208 liter, Carrie 09HX2559-ER shell and tube functioning as condenser with a water volume of 251 liter and a Carrier Pro-Dialog Plus.

*All components of this used chiller will be tested on adequate performance, leak free condition (condensing blocks), compressors, fans, control panel, and so forth). Choosing HOSBV means buying with warranty. We perform an industrial cleaning. *If requested we are happy to arrange your shipment.







VARIANTE-VARIANT	09HX2559-ER		CE 0062
MODELE-MODEL	09HX2137DA-216-PEE--		
NUMERO DE SERIE-SERIAL NUMBER	12S905775		
Année de fabrication et date d'essai Year of manufacturing and test date	12/05/2009		
Fluides-Medium	R134a		EAU-WATER
Fluide d'inertage Inerting medium	AZOTE - NITROGEN		
Groupes-Groups		2	
Volumes(V)-Volumes(V)	304.00 / 304.00	*	L 251 L
Press. admissible min/max(PS)-Allowable press.min/max(PS)	-1 / 22	bar	10 bar
Temp. admissible min/max(TS)-Allowable temp. min/max(TS)	-20 / 75	°C	-10 / 75 °C
Pression d'essai(PT)-Test pressure(PT)	31.5	bar	* bar
Poids net - Net weight	1450		Kg
 MANUFACTURED IN FRANCE BY - CARRIER SGS - 01120 MONTLUEL - FRANCE A SUBSIDIARY OF CARRIER CORPORATION, SYRACUSE NEW YORK UNITED STATES OF AMERICA			



