

# Bitzer 4CC-6.2Y-40S (x2) & 2DC-2.2Y-40S (x1)

## Specifications

|                          |                                            |
|--------------------------|--------------------------------------------|
| Бренд                    | Bitzer                                     |
| Тип                      | 4CC-6.2Y-40S (x2) & 2DC-2.2Y-40S (x1)      |
| Хладагент                | Freon                                      |
| kW at -5°C/+40°C         | 50,8                                       |
| кВт at -10°C/+40°C       | 41,8                                       |
| кВт at -20°C/+40°C       | 27,4                                       |
| кВт at -30°C/+40°C       | 16,7                                       |
| кВт at -40°C/+40°C       | 9,0                                        |
| kW at -45°C/+40°C        | 6,0                                        |
| Управление               | ✓                                          |
| производительностью      |                                            |
| На стальной раме         | ✓                                          |
| Жидкостный ресивер       | ✓                                          |
| Жидкостный ресивер л.7,1 |                                            |
| Маслоотделитель          | ✓                                          |
| Фильтр-осушитель         | ✓                                          |
| Смотровое стекло         | ✓                                          |
| Соленоидный клапан       | ✓                                          |
| m3 / h                   | 78,4                                       |
| Примечания               | Y.o.b. 4CC-6.2Y-40S<br>(1670508786) : 2006 |



|               |                                           |
|---------------|-------------------------------------------|
|               | (1676609470)                              |
| Пакет/Package | Y.o.b. 4CC-6.2Y-40S                       |
| Размеры       | 2100x800x800: 2009<br>(LxWxH) DC-2.2Y-40S |
| Stock         | 1                                         |

## Description

### Used Bitzer 4CC-6.2Y-40S (x2) & 2DC-2.2Y-40S (x1)

Used Bitzer compressor rack on Freon in a steel base frame. Complete with 2 Bitzer 4CC-6.2Y-40S & 1 Bitzer 2DC-2.2Y-40S semi-hermetic reciprocating compressors, 2 Frigo-Mec 2301253-RV-180X353 liquid receivers with each a volume of 7,1 liter, AC&R S-5587-CE oil separator, liquid line filter drier and a control panel. The compressors have a combined displacement of 78,4 m<sup>3</sup>/h.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.







