

Güntner GGHF 050.2J/27-ENS50/14P.E

Specifications

Производитель	Güntner
Тип	GGHF 050.2J/27-ENS50/14P.E
кВт	37,6
Хладагент	Glycol
К-во вентиляторов	2
Расстояние между ламелями, мм	7
Оттайка	Electric
Поток воздуха м³/час	12.880
Размеры	2480x950x750 mm (LxWxH)
Примечания	Y.o.b. 2016
Volume	35,1 dm³
вес	153 kg
Stock	1



Description

Used Güntner GGHF 050.2J/27-ENS50/14P.E

Used Güntner GGHF 050.2J/27-ENS50/14P.E evaporator build in 2016 on Glycol with electric defrost. Complete with 2 Ziehl-Abegg FL050-4DK.4I.V5L fans - 50/60 Hz - 0,48/0,79 kW - 1410/1650 RPM - diameter 500 mm and a total airflow of 12.880 m³/h.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



Göthner GmbH & Co. KG
Hans-Göthner-Str. 2-6
82256 Fürstenfeldbruck
www.guenther.de

Projektnummer - Project number	101027497	
Gerätebezeichnung - Unit name	GGHF 050 2J/27-ENS50/14P E	
Gerät Seriennummer - Unit serial number	404322542/61 02753	
Ventilator / ID / Drehzahl - Fan / ID / Speed	VT01285 / 1088 / 1410 min ⁻¹	
Umgebungstemperatur - Ambient air temperature	-30 °C / +50 °C	
Herstellungsjahr - Year of manufacture	2016	
Druckgerät Seriennr. - Pressure equipment serial no.	404322543/61 02754	
Volumen - Volume (V)	35.11	
Max. zulässiger Druck (PS)	16 / 0 bar	0 / -1 bar
Max. permissible pressure (PS)		
Zulässige min./max. Temperatur (TS)	-50 °C / +100 °C	-5 °C / +40 °C
Permissible min./max. temperature (TS)		
Prüfdruck (PT) / Prüfmedium	17.6 bar / Druckluft - Compressed air	
Test pressure (PT) / Test medium		
Prüfdatum - Test date	2016.02.19	
Fluidgruppe / Zustand - Group of fluid / State	2 / flüssig - liquid	



