

Bitzer 2GHC-2K-40S (x2) & 2GSL-3K-40S (x1)

Specifications

Бренд	Bitzer
Тип	2GHC-2K-40S (x2) & 2GSL-3K-40S (x1)
Хладагент	CO2
кВт at -30°C/+40°C	34,8
кВт at -40°C/+40°C	21,8
kW at -45°C/+40°C	16,5
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Прессостаты конденсатора	✓
Жидкостный ресивер	✓
Отделитель жидкости	✓
Маслоотделитель	✓
Фильтр-осушитель	✓
Смотровое стекло	✓
Соленоидный клапан	✓
m3 / h	15,15
Примечания	BJ: 1694905876 - 2018
Примечания	BJ: 1676504458 - 2009
Примечания	BJ: 1674505154 - 2008
Package / Rack	✓
Размеры	3250x1150x2060 mm (LxWxH)



Stock

1

Description

Used Bitzer 2GHC-2K-40S (x2) & 2GSL-3K-40S (x1)

Used Bitzer 2GHC-2K-40S (x2) & 2GSL-3K-40S (x1) semi-hermetic reciprocating compressor rack on R744 (CO₂). Complete with 2 heat exchangers, liquid receiver, ESK Schultze OS-35-CDA oil separator 5,7 liter, OCS RLFP6 oil reservoir, Danfoss ADAP-KOOL AKD 2800, 2 Danfoss VLT frequency converters and a control panel. The compressors have a total displacement of 15,15 m³/h. In the unit there is also a L'unité Hermetique CAE4448Y unit that ensures the pressure does not change when the set is turned off.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive quality test and after it has been cleaned industrially. *If requested we are happy to arrange your shipment.











