

Goedhart VCI-Bp 42407 E

Specifications

Производитель	Goedhart
Тип	VCI-Bp 42407 E
кВт	9,5*
Хладагент	CO2
К-во вентиляторов	2
Расстояние между ламелями, мм	7
Оттайка	Electric
Поток воздуха м³/час	6.824
Размеры	1880x720x610 mm (LxWxH)
Примечания	Y.o.b. 2016
Remarks	*Capacity based on the next temperatures: air (+3°C) medium (-5°C).
Volume	10 dm³
вес	130 kg
Stock	1



Description

Used Goedhart VCI-Bp 42407 E

Used Goedhart VCI-Bp 42407 E CO2 evaporator built in 2016 with electric defrost. Complete with 2 Ziehl-Abegg FN040-VDW.0F.A7P1 fans - 50 Hz - 0,23/0,17 kW - 1360/1080 RPM - diameter 400 mm and a total airflow of 6.824 m³/h.

*All components of this used evaporator will be tested in good working, leak-free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform an industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



Kelvion Kelvion Refrigeration B.V.
Nijverheidsweg 6
4695 RC Sint-Maartensdijk, The Netherlands
Tel: +31(0)166 665 665 www.kelvion.com

Man. no.:	PJV162479, VK1602240 / 361097080		
Type:	Goedhart VCI-Bp 42407 E		
Number:	1	of	1
Year:	2016		
Client ref.:	1602256		
M.:	130 kg	-	TS: +16/-10 °C
V:	10 dm ³	-	PS: 52 bar
Fluid:	R744 (CO ₂) DE	-	PT: 75 bar

Made in the EC



