

# Bitzer HSN 7471-75-40P (x1) & HSN 8571-125-40P (x1)

## Specifications

|                          |                                                 |
|--------------------------|-------------------------------------------------|
| Бренд                    | Bitzer                                          |
| Тип                      | HSN 7471-75-40P (x1) &<br>HSN 8571-125-40P (x1) |
| Хладагент                | Freon                                           |
| кВт at -20°C/+40°C       | 318,5                                           |
| кВт at -30°C/+40°C       | 219,2                                           |
| кВт at -40°C/+40°C       | 143,9                                           |
| kW at -45°C/+40°C        | 113,5                                           |
| Разгруженный старт       | ✓                                               |
| Управление               | ✓                                               |
| производительностью      |                                                 |
| На стальной раме         | ✓                                               |
| Прессостаты              | ✓                                               |
| Прессостаты              | ✓                                               |
| конденсатора             |                                                 |
| Жидкостный ресивер       | ✓                                               |
| Жидкостный ресивер л.320 |                                                 |
| Маслоотделитель          | ✓                                               |
| Фильтр-осушитель         | ✓                                               |
| Соленоидный клапан       | ✓                                               |
| Панель управления        | ✓                                               |
| m3 / h                   | 50 Hz - 660 / 60 Hz - 795                       |
| Примечания               | Y.o.b. 2007                                     |
| Примечания               | *Capacity calculated<br>with economizer.        |



#### Примечания |||

Please note: we will only offer this as complete blastfreezing solution with capacity matching condensor and evaporators

|                |                              |
|----------------|------------------------------|
| Масса          | 1800                         |
| Package / Rack | ✓                            |
| Размеры        | 3000x1500x2290 mm<br>(LxWxH) |
| Stock          | 1                            |

## Description

### Used Bitzer HSN 7471-75-40P (x1) & HSN 8571-125-40P (x1)

Used Bitzer HSN 7471-75-40P (x1) & HSN 8571-125-40P semi-hermetic screw compressors on Freon with an economizer. Complete with a Bitzer FS3102 liquid receiver with a volume of 320 liter, Bitzer OA9011 oil separator with a volume of 228 liter, braced heat exchanger as economizer, pressure and safety switches and condensing pressure switches. The compressors have a total displacement of 660 m<sup>3</sup>/h at 50 Hz and 795 m<sup>3</sup>/h at 60 Hz. The capacities are with an economizer.

Please note we will only offer this as complete blastfreezing solution with capacity matching condensor and evaporators.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. \*If requested we are happy to arrange your shipment.











