

Bitzer 66F-100.2 / 6FE-50Y-40P (x1) & 6F-50.2 (x1)

Specifications

Бренд	Bitzer
Тип	66F-100.2 / 6FE-50Y-40P (x1) & 6F-50.2 (x1)
Хладагент	Freon
kW at 0°C/+40°C	246,3
kW at -5°C/+40°C	205,1
кВт at -10°C/+40°C	169,7
кВт at -20°C/+40°C	111,3
кВт at -30°C/+40°C	68,4
кВт at -40°C/+40°C	37,5
Разгруженный старт	✓
На стальной раме	✓
Прессостаты	✓
Маслоотделитель	✓
Система маслоуравнивания	✓
Фильтр-осушитель	✓
Смотровое стекло	✓
Соленоидный клапан	✓
m ³ / h	365,9



	1999
Пакет/Package	SN: 15611444 - Y.o.b.
Размеры	2190x1030x11720 mm
	(SN: 158716852 - Y.o.b.)
Stock	2015
	SN: 15811445 - Y.o.b.

Description

Used Bitzer 66F-100.2 / 6FE-50Y-40P (x1) & 6F-50.2 (x1)

Used Bitzer 66F-100.2/ 6FE-50Y-40P (x1) & 6F-50.2 (x1) semi-hermetic reciprocating tandem compressor rack on Freon. Complete with pressure safety switches, liquid line filter drier, oil separator, oil level system AC&R and sight glasses.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also arrange the logistics.





