

Danfoss OP-MSXM108MLW05E

Condensing unit

Specifications

Бренд	Danfoss
Тип	OP-MSXM108MLW05E Condensing unit
Хладагент	Freon
кВт at +10°C/+40°C	24,4
kW at 0°C/+40°C	17,2
kW at -5°C/+40°C	14,2
кВт at -10°C/+40°C	11,6
кВт at -20°C/+40°C	9,4
кВт at -30°C/+40°C	7,5
кВт at -40°C/+40°C	4,4
На стальной раме	✓
Жидкостный ресивер	✓
Смотровое стекло	✓
Панель управления	✓
m3 / h	18,7
Примечания	Y.o.b. 2019
Condensing Unit	✓
Размеры	1100x470x830 mm (LxWxH)
Stock	1



Description

Used Danfoss OP-MSXM108MLW05E Condensing unit

Used Danfoss OP-MSXM108MLW05E condensing unit on Freon. Complete with a Danfoss MLZ048T4L scroll compressor, condenser with 1 EBM-Papst A6E500-AJ05-04 fan - 50/60 Hz - 0,22/0,29 kW - 865/810 RPM - diameter 500 mm, liquid receiver, liquid line filter drier and a control panel. The compressor has a displacement of 18,7 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.



