

Bitzer 4HTC-15K-40P (x2)

Specifications

Бренд	Bitzer
Тип	4HTC-15K-40P (x2)
Хладагент	CO2
Refrigerant type	R744
kW at 0°C/+40°C	59,2
kW at -5°C/+40°C	49,2
кВт at -10°C/+40°C	40,3
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Прессостаты	✓
конденсатора	
Жидкостный ресивер	✓
Жидкостный ресивер л.110	
Маслоотделитель	✓
Система	✓
маслоуравнивания	
Фильтр-осушитель	✓
Смотровое стекло	✓
Панель управления	✓
m3 / h	50 Hz - 24 m³/h / 60 Hz - 29 m³/h
Примечания	Y.o.b. 2017
Package / Rack	✓
Размеры	2160x1000x2100 mm (LxWxH)
Stock	1



Description

Used Bitzer 4HTC-15K-40P (x2)

Used Bitzer 4HTC-15K-40P (x2) semi-hermetic reciprocating compressor rack on CO2 (R744). Complete with an OCS COLD RLV 110L 0DS28 liquid receiver with a volume of 110 liters, oil separator, oil reservoir, Danfoss FC-103P15KT4P55 frequency converter, pressure, and safety switches/gauges, liquid line filter drier, and a control cabinet. The compressors have a total displacement of 24 m³/h at 50 Hz and 29 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. *If requested we are happy to arrange your shipment.







