

Frascold R-TSL1-100 360Y

Specifications

Бренд	Frascold
Тип	R-TSL1-100 360Y
Хладагент	Freon
кВт at -10°C/+40°C	203,3
кВт at -20°C/+40°C	135,2
кВт at -30°C/+40°C	85,5
кВт at -40°C/+40°C	50,2
kW at -45°C/+40°C	36,9
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Прессостаты	✓
конденсатора	
Жидкостный ресивер	✓
Маслоотделитель	✓
Фильтр-осушитель	✓
Соленоидный клапан	✓
Панель управления	✓
m3 / h	50 Hz - 360 m³/h / 60 Hz - 432 m³/h
Размеры	2270x1000x2180 mm (LxWxH)
Stock	1



Description

Used Frascold R-TSL1-100 360Y

Used Frascold R-TSL1-100 360Y semi-hermetic screw compressor on Freon. Complete with an Onda OVS 220/1 oil separator, liquid line filter drier, pressure and safety switches and a control cabinet. The compressor has a displacement of 360 m³/h at 50 Hz & 432 m³/h at 60 Hz.

The compressor has a capacity of 48 kW at -38°C evaporation / + 35°C condensation on R404A. This set worked with the [16773](https://hosbv.com/product/16527/evaporators/Goedhart-PLK.s-756-m.html)

*Why choose for HOS BV? We are not only the largest used refrigeration specialist in Europe, but we also deliver all equipment including an extensive



test, warranty and industrial cleaning.
*Optionally we can also perform a new
paint job and arrange the logistics.







