

Thermofin TCH.3-091-12-C-M-DE-BB-04

Specifications

Производитель	Thermofin
Тип	TCH.3-091-12-C-M-DE-BB-04
Тип продукта	Drycooler
кВт	269,5*
К-во вентиляторов	2
Скорость вращения вентиляторов	920
Хладагент	Freon
Поток воздуха м³/час	49.700
диаметр вентиляторов	910 mm
Ø	
поверхность (m2)	437,2 m²
Объем трубки	42,7 dm³
Размеры	5050x1170x1520 mm (LxWxH)
вес	583 kg
Примечания	Y.o.b. 2022
Remarks	*Capacity is based on a medium inlet temperature of 60°C and an outlet temperature of 40°C
Stock	1



Description

Used Thermofin TCH.3-091-12-C-M-DE-BB-04

Used Thermofin TCH.3-091-12-C-M-DE-BB-04 drycooler build in 2022. Complete with 2 EBM-Papst S3G910-CU27-06 fans - 50/60 Hz - 2,3 kW - 920-970 RPM - diameter 910 mm and a total airflow of 49.700 m³/h. The current condenser will be converted into a drycooler and the appropriate flanges will be installed. The drycooler has a capacity of 269,5kW with a medium inlet temperature of 60°C and an outlet temperature of 40°C. *All components of this used condensers will be tested on good working, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered.



**Your partner for used commercial and
industrial refrigeration equipment**

Also, we can arrange your shipment.





