

Bitzer OSKA 8571-K (x2)

Specifications

Бренд	Bitzer
Тип	OSKA 8571-K (x2)
Хладагент	NH 3 (ammonia)
кВт at +10°C/+40°C	1198,0*
kW at 0°C/+40°C	854,0*
kW at -5°C/+40°C	710,0*
кВт at -10°C/+40°C	584,0*
Разгруженный старт	✓
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Жидкостный ресивер	✓
Маслоотделитель	✓
Смотровое стекло	✓
m3 / h	410-1130 m³/h / 1450-4000 RPM
Примечания	Y.o.b. 2019 (S.nr: 1096401720) y.o.b. 2017 (s.nr: 1092400235)
Примечания	*Capacity based on R717.
Condensing Unit	✓
Размеры	4000x2600x2400 mm (LxWxH)



Stock

1

Description

Used Bitzer OSKA 8571-K (x2)

Used Bitzer OSKA 8571-K (x2) open screw compressor unit on NH₃ (Ammonia). Complete with a 2 MEB 315M-2 electric motor - 50/60 Hz - 132,0/151,0 kW - 2975/3570 RPM, LCB F2-V29 liquid receiver, Cofrin oil separator with a volume 780 liters, HPH ROA 32-301 oil cooler, 2 KSB ETLZ040-040-250 water pumps, expansion vessel and a 2 BHE economizers. The compressors have a displacement between 410-1130 m³/h at 1450-4000 RPM.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *If requested we are happy to arrange your logistics.











