

Bitzer LH84/4CC-6.2Y-40S Condensing Unit

Specifications

Бренд	Bitzer
Тип	LH84/4CC-6.2Y-40S Condensing Unit
Хладагент	Freon
kW at -5°C/+40°C	21,1
кВт at -10°C/+40°C	17,4
кВт at -20°C/+40°C	11,4
кВт at -30°C/+40°C	7,0
кВт at -40°C/+40°C	3,8
На стальной раме	✓
Прессостаты	✓
Жидкостный ресивер	✓
Жидкостный ресивер л.13 l	
Маслоотделитель	✓
Фильтр-осушитель	✓
Смотровое стекло	✓
Панель управления	✓
m3 / h	50 Hz - 32,5 m³/h / 60 Hz - 39,2 m³/h
Примечания	Y.o.b. 2006
Condensing Unit	✓
Размеры	1000x700x950 mm (LxWxH)
Stock	2



Description

Used Bitzer LH84/4CC-6.2Y-40S Condensing Unit

Used Bitzer LH84/4CC-6.2Y-40S condensing unit on Freon. Complete with 1 Bitzer 4CC-6.2Y-40S semi-hermetic reciprocating compressor, Bitzer FS126 liquid receiver with a volume 13 liters, pressure safety switches, Henry Technologies S-5585-CE oil separator, control panel and condenser with 1 Ziehl-Abegg FB045-4EK.4I.V4P fan - 50/60 Hz - 0,48/0,73 kW - 1340/1530 RPM - diameter 450 mm.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an



industrial cleaning. *Optionally we can
also perform a new paint job and
arrange the logistics.





