

Mycom C6 HK

Specifications

Бренд	Mycom
Тип	C6 HK
Хладагент	CO2
Refrigerant type	R744
кВт at -30°C/+40°C	480,0*
кВт at -40°C/+40°C	300,0*
kW at -45°C/+40°C	250,0*
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Маслоотделитель	✓
Система маслоуравнивания	✓
Фильтр-осушитель	✓
Смотровое стекло	✓
Соленоидный клапан	✓
m3 / h	239 m³/h - 1800 RPM
Примечания	Y.o.b. 2017
Примечания	*Capacities are based on a condensing temperature of -10°C and 1450 RPM
Размеры	1870x1400x2200 mm (LxWxH)
Stock	1



Description

Used Mycom C6 HK

Used Mycom C6HK open-type reciprocating compressor on CO2. Complete with a Leroy Somer PLS250MP-T electromotor - 50/60 Hz - 90/103 kW - 1469/1771 RPM, Mayekawa MAA 2565-40 oil separator with a volume of 58 liters and pressure safety switches / gauges. The capacities are based on a condensing temperature of -10°C and 1450 RPM. *Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.





