

# Bitzer 6G-30.2Y-40P (x2) & 4VCS-6.2Y-40P (x1)

## Specifications

Бренд	Bitzer
Тип	6G-30.2Y-40P (x2) & 4VCS-6.2Y-40P (x1)
Хладагент	Freon
кВт at -10°C/+40°C	157,3
кВт at -20°C/+40°C	103,1
кВт at -30°C/+40°C	66,8
кВт at -40°C/+40°C	33,9
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Жидкостный ресивер	✓
Жидкостный ресивер л.160 l	
Маслоотделитель	✓
Система	✓
маслоуравнивания	
Фильтр-осушитель	✓
Смотровое стекло	✓
m3 / h	50 Hz - 288,3 m <sup>3</sup> /h / 60 Hz - 348,1 m <sup>3</sup> /h
Примечания	Y.o.b. 2011
Package / Rack	✓
Размеры	3000x1000x2100 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 6G-30.2Y-40P (x2) & 4VCS-6.2Y-40P (x1)

Used Bitzer 6G-30.2Y-40P (x2) & 4VCS-6.2Y-40P (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with a Bitzer F1602N liquid receiver with a volume of 160 liters, Henry Technologies S-1902-CE oil separator, AC&R S-9108-CE oil reservoir, brazed heat exchanger, pressure and safety switches/gauges and liquid line filter drier.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. \*Optional we can also perform a new paint job and arrange



Your partner for used commercial and industrial refrigeration equipment

---

the logistics.









