

Bitzer 6H-25.2Y-40P (x2) & 4DC-7.2Y-40S (x1)

Specifications

Бренд	Bitzer
Тип	6H-25.2Y-40P (x2) & 4DC-7.2Y-40S (x1)
Хладагент	Freon
kW at -5°C/+40°C	166,9
кВт at -10°C/+40°C	137,5
кВт at -20°C/+40°C	90,1
кВт at -30°C/+40°C	54,9
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Жидкостный ресивер	✓
Жидкостный ресивер л.160 l	
Маслоотделитель	✓
Система	✓
маслоуравнивания	
Фильтр-осушитель	✓
Смотровое стекло	✓
m3 / h	50 Hz - 247,9 m ³ /h / 60 Hz - 299,0 m ³ /h
Примечания	Y.o.b. 2004
Package / Rack	✓
Размеры	3100x920x2100 mm (LxWxH)
Stock	1



Description

Used Bitzer 6H-25.2Y-40P (x2) & 4DC-7.2Y-40S (x1)

Used 6H-25.2Y-40P (x2) & 4DC-7.2Y-40S (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with a Bitzer F1602N liquid receiver with a volume of 160 liters, Henry Technologies S-5202-CE oil separator, AC&R S-9109-CE oil reservoir, brazed heat exchanger, pressure and safety switches/gauges and liquid line filter drier.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. *Optional we can also perform a new paint job and arrange



Your partner for used commercial and industrial refrigeration equipment

the logistics.







