

# Bitzer 6FE-40Y-40P (x7) & 6FE-44Y-40P (x1)

## Specifications

Бренд	Bitzer
Тип	6FE-40Y-40P (x7) & 6FE-44Y-40P (x1)
Хладагент	Freon
Refrigerant type	R134A
kW at 0°C/+40°C	627,2
kW at -5°C/+40°C	506,4
кВт at -10°C/+40°C	404,8
кВт at -20°C/+40°C	246,4
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Прессостаты конденсатора	✓
Маслоотделитель	✓
Система маслоуравнивания	✓
Фильтр-осушитель	✓
Панель управления	✓
m <sup>3</sup> / h	1216
Примечания	Y.o.b. 2013
Примечания	*Capacity based on Freon type: R134A
Package / Rack	✓



3950x1850x1950 mm

(LxWxH)

Compressor set 2:

3950x1850x2050 mm

(LxWxH)

Вакуумеры

Compressor set 1:

## Description

### Used Bitzer 6FE-40Y-40P (x7) & 6FE-44Y-40P (x1)

Used Bitzer 6FE-40Y-40P (x7) & 6FE-44Y-40P (x1) semi-hermetic reciprocating compressors on Freon. Complete with an oil separator, oil reservoir, brazed heat exchanger, electric oil level system AC&R, pressure and safety switches/gauges, liquid line filter drier, 8x Danfoss frequency converters and a control cabinet with multiple controllers and displays. The compressors have a total displacement of 1216 m<sup>3</sup>/h.

\*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics.











