

# Bitzer 2CC-4.2Y-40S Condensing unit

## Specifications

Бренд	Bitzer
Тип	2CC-4.2Y-40S Condensing unit
Хладагент	Freon
kW at 0°C/+40°C	12,7
kW at -5°C/+40°C	10,5
кВт at -10°C/+40°C	8,7
кВт at -20°C/+40°C	5,6
кВт at -30°C/+40°C	3,4
кВт at -40°C/+40°C	1,8
На стальной раме	✓
Прессостаты	✓
Жидкостный ресивер	✓
Жидкостный ресивер л.13 l	
Фильтр-осушитель	✓
Смотровое стекло	✓
Соленоидный клапан	✓
m <sup>3</sup> / h	50 Hz - 16,2 m <sup>3</sup> /h / 60 Hz - 19,6 m <sup>3</sup> /h
Примечания	Y.o.b. 2004
Condensing Unit	✓
Размеры	1000x750x900 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 2CC-4.2Y-40S Condensing unit

Used Bitzer LH84 condensing unit on Freon. Complete with a Bitzer 2CC-4.2Y-40S semi-hermetic reciprocating compressor, condenser with a Ziehl-Abegg FB045-4EK.4I.6P fan - 50/60 Hz - 0,48/0,73 kW - 1340/1530 RPM - diameter 450 mm, Bitzer FS125 liquid receiver with a volume of 13 liters, pressure safety switches/gauges and liquid line filter drier. The compressor has a displacement of 16,2 m<sup>3</sup>/h at 50 Hz and 19,6 m<sup>3</sup>/h at 60 Hz.  
\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive quality test and after it has been cleaned industrially.  
\*If requested we are happy to arrange



Your partner for used commercial and industrial refrigeration equipment

---

your shipment.





