

Bitzer 4N-20.2Y-40P (x1) & 4N-20.2 Y (x1)

Specifications

Бренд	Bitzer
Тип	4N-20.2Y-40P (x1) & 4N-20.2 Y (x1)
Хладагент	Freon
kW at 0°C/+40°C	91,6
kW at -5°C/+40°C	76,2
кВт at -10°C/+40°C	62,6
кВт at -20°C/+40°C	40,8
кВт at -30°C/+40°C	24,8
кВт at -40°C/+40°C	12,8
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Жидкостный ресивер	✓
Жидкостный ресивер л.89 l	
Фильтр-осушитель	✓
Смотровое стекло	✓
m3 / h	50 Hz - 112,2 m ³ /h
Примечания	Y.o.b. 2004 (s.nr: 1666801294) & y.o.b. 1999 (s.nr: 65660437)
Размеры	1820x1300x1030 mm (LxWxH)
Stock	1



Description

Used Bitzer 4N-20.2Y-40P (x1) & 4N-20.2 Y (x1)

Used Bitzer 4N-20.2Y-40P (x1) & 4N-20.2 Y (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with a Bitzer F 902 N liquid receiver with a volume of 89 liters, pressure safety switches and liquid line filter drier. The compressors have a total displacement of 112,2 m³/h at 50 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.







